

# Discover® SP-D 80™ Method Note

## Microwave Digestion of PET

_			_	
D	rn	CP	d١	irc

Weigh 0.25 g of the sample into the digestion vessel. Add 10 mL HNO<sub>3</sub> and 2 mL H<sub>2</sub>SO<sub>4</sub>.

#### **Notes**

Recommended Equipment	Recommended Vessels	Reagents
Discover SP-D 80	80 mL Quartz	HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub>

Max Sample Weight	Sample Type / Vent Program	Control Type
0.25 g	Organic	Ramp to Temperature

Heating Progra	am					
Stage	Temp (°C)	*Ramp (mm:ss)	Hold (mm:ss)	Pressure (psi)	* Power (W)	Stirring
1	240	6:00	4:00	400	300	Med

<sup>\*</sup> Ramp times and power may vary depending on the type and number of vessels.

#### Results

Sample was clear, colorless, and particle free upon dilution to 50 mL.

### **General Precaution**

- a) This procedure is a reference point for sample digestion using a CEM system and may need to be modified or changed to obtain the required results on your sample.
- b) If using a vessel other than the recommended choice, adjust sample size and pressure limit to values appropriate for the vessel chosen.